assified in		
	information report	CD 140.
COUNTRY	USSR (Sverdlovsk Oblast)	DATE DISTR. 4 December 1952
SUBJECT	Tank Production of the Ural Railroad Car Plant near Nizhniy Tagil	NO. OF PAGES 2
PLACE ACQUIRED	•	NO. OF ENCLS2 (1 layout sketch (USTED BELOW) and is ditto pages)
DATE OF INFO.		SUPPLEMENT TO 50X1-H
OF THE UNITED S AND 794, OF THI ATION OF US C 15 PROBLEMTED S	COUNTING INFORMATION AFFICERIC THE MATIONAL DEFENSE OF STATES, CHTMIN THE MARRIES OF THE IS, SECTIONS 739 CONTINUE TO BE ACCOUNTING THE STANDARD OF THE IS THRESTISSION ON SEVERAL TO BE ACCOUNTING THE STANDARD OF THE STANDA	VALUATED INFORMATION 50X1-HUM
		50X1-HUN
2. I F	The Ural Railroad Car Plant (Uralvagonzavod) is local (57°50°N/59°55°E) = Nizhyaya Salda (58°00°N/60°44°E) the Vagonzavod railroad station and east of the city In 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war was	railroad line, south of of Nizhniy Tagil. 50X1-HL
2. I F C C T F C	the Vagonzavod railroad station and east of the city in 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The present a discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to as an improved model of the Teacher on the outgoing shipments, estimated to this model ranged between 60 and 90 units per monance by rail. According to the Soviets, the trains	railroad line, south of of Nizhniy Tagil. 50X1-HU sailroad cars, which were production of T-3h/35 tanks intil about early 1948, and some of which came by the production of a tank, -3h tank, was started. Interest of production the Outgoing shipments were were east-bound.
2. I	the Vagonzavod railroad station and east of the city. In 1948 and 1949, the main production consisted of recoduced at a rate of 50 to 75 units per day. The produced at a rate of 50 to 75 units per day. The produced at a rate of 50 to 75 units per day. The produced at a rate of 50 to 75 units per day. The produced at a rate of 50 to 75 units per day the produced by 1948. From the end of the war units were also repaired at the plant. In mid-1948, referred to as an improved model of the Tables on the outgoing shipments, estimated to 50 this model ranged between 60 and 90 units per monable by rail. According to the Soviets, the trains pering loaded onto the cars, the tanks were covered units per day in 1945. This was about 3 percent of the cars per day in 1945. This was about 3 percent of the cars per day in 1945. This was about 3 percent of the cars per day in 1945.	railroad line, south of of Nizhniy Tagil. 50X1-HU sailroad cars, which were production of T-34/35 tanks intil about early 1948, and some of which came by the production of a tank, 34 tank, was started. The tank, was started the rate of production the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HU he capacity of the plant.
2. I	the Vagonzavod railroad station and east of the city in 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The pros discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to as an improved model of the Tassed on the outgoing shipments, estimated to this model ranged between 60 and 90 units per monace by rail. According to the Soviets, the trains peing loaded onto the cars, the tanks were covered where the construction of railroad cars per day in 1945. This was about 8 percent of the production of railroad cars was increased the production of railroad cars was increased.	railroad line, south of of Nizhniy Tagil. 50X1-HL sailroad cars, which were production of T-31/35 tanks intil about early 1948, and some of which came by the production of a tank, the rate of production the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HL the capacity of the plant, 50X1-HL ily.
2. I production of the control of th	the Vagonzavod railroad station and east of the city. In 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war use discontinued by 1948. From the end of the war use discontinued by 1948. From the end of the war use discontinued by 1948. From the end of the war use all, were also repaired at the plant. In mid-1948, referred to as an improved model of the Tossed on the outgoing shipments, estimated to fi this model ranged between 60 and 90 units per monace by rail. According to the Soviets, the trains peing loaded onto the cars, the tanks were covered using loaded onto the cars, the tanks were covered using loaded onto the cars, the tanks were covered using loaded onto the cars, the tanks were covered using loaded onto the cars, the tanks were covered to the construction of railroad cars per day in 1945. This was about 3 percent of thich was capable of producing 100 four-axle cars can be production of railroad cars was increased the production of railroad cars and tank cars of the flat cars, condols cars, boxcars, and tank cars production was being increased, the plant was also each of the production was being increased, the plant was also each of the production and tank cars of the production was being increased, the plant was also each of the production was expanded and	railroad line, south of rof Nizhniy Tagil. 50X1-HL sailroad cars, which were reduction of T-31/35 tanks intil about early 1948, and some of which came by the production of a tank, 34 tank, was started. Interpretation of the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HL ily. 6 in 1916 to 16 units per production was increased in 30 units per day. The plant produced four- thile the railroad car nlarged. The main assembly arge new workshop. to be 50X1-HUI
2. If reconstruction of the construction of th	the Vagonzavod railroad station and cast of the city in 1948 and 1949, the main production consisted of recoduced at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to	railroad line, south of rof Nizhniy Tagil. 50X1-HL sailroad cars, which were reduction of T-31/35 tanks will about early 1948, and some of which came by the production of a tank, and tank, was started. The production of a tank, was started. The rate of production were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HU he capacity of the plant, 50X1-HU ily. It is per day. The plant produced four-sox1-Hull the railroad car nlarged. The main assembly arge new workshop, to be 50X1-HU in the northwestern section That of 1946. In 1947, 50X1-HU id-1948, the tank production in late 1948 50X1-HU
2. If the second	the Vagonzavod railroad station and cast of the city in 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to	railroad line, south of rof Nizhniy Tagil. sailroad cars, which were reduction of T-31/35 tanks intil about early 1948, and some of which came by the production of a tank, and tank, was started. In the rate of production the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HU he capacity of the plant, 50X1-HU ily. d in 1946 to 16 units per production was increased in 30 units per day. The plant produced four- 50X1-Hu in the northwastern section half of 1946. In 1947, 50X1-HU in the northwastern section half of 1946. In 1947, 50X1-HU cluded all suspensions and s. The armor plates for the ometers from the railroad car
2. If the second	the Vagonzavod railroad station and east of the city in 1948 and 1949, the main production consisted of resoluted at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to	railroad line, south of rof Nizhniy Tagil. sailroad cars, which were reduction of T-31/35 tanks intil about early 1948, and some of which came by the production of a tank, and tank, was started. In the rate of production the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HU he capacity of the plant, 50X1-HU ily. d in 1946 to 16 units per production was increased in 30 units per day. The plant produced four- 50X1-Hu in the northwastern section half of 1946. In 1947, 50X1-HU in the northwastern section half of 1946. In 1947, 50X1-HU cluded all suspensions and s. The armor plates for the ometers from the railroad car
2. If the second	the Vagonzavod railroad station and cast of the city in 1948 and 1949, the main production consisted of reproduced at a rate of 50 to 75 units per day. The press discontinued by 1948. From the end of the war usefective tanks, some of which were towed by trucks rail, were also repaired at the plant. In mid-1948, referred to	railroad line, south of of Nizhniy Tagil. sailroad cars, which were production of T-3h/35 tanks intil about early 1948, and some of which came by the production of a tank, and tank, was started. In the rate of production the Outgoing shipments were were east-bound. After ith plywood and canvas. cars was started, on a small the plant produced 6 to 1050X1-HU has capacity of the plant, 50X1-HU ily. 6 in 1946 to 16 units per production was increased in 30 units per day. The plant produced four-sox1-HU arge new workshop, to be 50X1-HU in the northwestern section half of 1946. In 1947, 50X1-HU id-1948, the tank production in late 1948 50X1-HU cluded all suspensions and so The armor plates for the ometers from the railroad car ical equipment, were supplied



Declassified in Part - Sanitized Copy Approved for Release 2013/06/27: CIA-RDP82-00457R015100050010-5 50X1-HUM

CONFI DENTIAL

dit was to be used as the sheet

50X1-HUM

mid-1919.

motal and punching department.

b. Railroad car department. No details were known.

•					
	 6. Conveyor belt. 6. Conveyor belt. 6. Tank assembly shop. This shop was off-limits				
11.	Storage area for armor plate,				
12.	Savmill and wood-working shop used in the production of railroad cars.				
13.	Cachine shops where household utensils were produced.				
li.	Radiator shop where radiators for tank and motor vehicles were produced. This building was also referred to as Department No 180.				
15.	Rubber department where the lining for the bogic wheels was produced. The exact location of this department was not known. It is possible that this building was the second building of the locquering department and that the rubber department was housed in the building identified as housing the radiator shop, item 11:				
16.	Large savmill.				
17.	Lacquering and spraying department for railroad cars and tank components.				
	the lacquering department also occupied another building.				
13.	Cas producing installation. 50X1-HUM				
19.	Power plant area. observed five smokestacks there.				
20.	Route of the completed tanks, traveling to the loading ramp.				

Warehouse for tank accessories such ac tank guns, engines, and electrical

The shaded areas shown on the sketch indicate deportments used for the production

50X1-HUM

CONF DENTIAL

21. Loading ramp.

equipment.

of tarks.

22. Heating plant. The exact location was not known.

CONFIDENTIAL

•	Production Survey	50X1-HUM
Tate	Tanks	Reilrond Cors
1917	one 40-car train loaded with T-34 tanks and guns per day. This included both new and	Fetween 65 and 70 60-ton cers produced daily.
•	repaired equipment.	50X1-HUM
19115	Unknown	the reilroad car production started in 1945. 50X1-HUM
Murch to October	the plant operated at 50 to 60 percent of espacity.	the plant operated at 40 to 50 percent of capacity.
arly 1948 to June 1948	Three to five tanks daily of a model resembling the T-3h tank were produced.	75 roilroad cors daily.
1905 to September 1948	Tanufacture and repair of model T-31:/85 tanks at a rate of 21; tanks daily, to	About 70 cars daily. Also, bugie wheels and track shoes for tanks, as well as automobile radiators which were shipped out by rail. The quota of castings to be 50X1-HUM cleaned within a 2h-hour period was 2h0 bogic wheels or 4,500 track shoes.
September 1948	Froduction of the improved T-3h tank started	
December 1948	Not more than 10 improved model T-3h tanks produced daily, the plant was operating at 35 percent of capacity.	.` 50X1-HUM
November and December 1948	Production of the improved T-31 tank was still at the starting rate or was confined to development work.	From 60 to 90 60-ton condola cars and toxcars produced per day, as well as household utensils.
October 1940 to March 1949	After late 19h8, production of an improved T-3h tank.	
June 1948 to Pay 1949	Petween mid-1943 and late 1948, groduction of a new model rescubling the T-34 tank was storted.	From 60 to 70 60-ton cars produced daily.
#id-1948 to mid-1949	Outgoing shipments of 10 to 15 improved model 7-34 tanks were observed every two or three days.	From 50 to 60 60-ton cars produced daily.
July 1949	Since mic-19% or late 1948, the new rodel T-3% tanks were produced. In July 1949, 10 to 15 tanks were produced weekly.	

CONFIDENTIAL

Date	Tanks	Cailroad Cars 50X1-HUM
Summer of 1919	To mass production of the new T-3h tank.	
Early July 1949	tanks were produced monthly.	From 70 to 80 60-ton cars produced daily.
Summer of 1949	From 10 to 15 improved model T-34 tanks produced weekly.	From 50 to 60 60-ton cars produced daily. Peak rate: 75 cars per day.
August 1949	No mass production. Only about 15 to 20 experimental models were produced per week.	About 60 cars daily.
August 19h9	About 3 improved model T-3h tanks per day. The rate of tank production was greatly reduced in 19h5 in order to produce more railroad cars.	50X1-HUM
September 1919	From 18 to 21: improved model T-31: tanks loaded on railroad cars weekly.	
1919	Tanks were produced at a low rate.	

